

SmartFit

PIPE CLIP




OVERVIEW



Code 348
(20 – 50 mm)



Code 049
(63 – 225 mm)



Code 049.8
(250 – 450 mm)


SmartFit | ADVANTAGES

MATERIAL

Longevity



Chemically resistant &
Corrosion free



Thermally insulating

$$\lambda = 0,24 \frac{W}{mK}$$

RELIABILITY

Time saving



Supply chain security



Maintenance free



SmartFit | ADVANTAGES

INSTALLATION


Floor, ceiling & wall mounting



360° axial rotation




Light weight




PERFORMANCE


Low stress pipe support



Minimal friction



Controlled expansion and contraction




INSTALLATION OPTIONS



USING SPACERS AND BASE PLATES

INSTALLATION OPTIONS




SmartFit PIPE CLIP 348

MATERIAL: PP-FRP BLACK

AVAILABLE DIMENSIONS

Dimension	Code	Detail mm	da(OD) mm	s1 mm	s2 mm	s3 mm	s4 mm	d mm	h mm	b mm	Gewicht
20	14.348.0020.00	20	20	6	29	6,5	9	6,5	27	14	0.008
25	14.348.0025.00	25	25	10	34	6,5	9	6,5	30	16	0.014
32	14.348.0032.00	32	32	11,5	39	6,5	9	6,5	31,5	16	0.016
40	14.348.0040.00	40	40	14	50	6,5	9	6,5	37	17,5	0.023
50	14.348.0050.00	50	50	15	56	6,5	9	6,5	41	20	0.029




SmartFit PIPE CLIP 049

WITH STEEL BRACKET AND SCREW

MATERIAL: PP-FRP BLACK

AVAILABLE DIMENSIONS

Dimension	Code	Detail mm	da(OD) mm	z mm	d mm	d1 mm	d2 mm	h mm	b mm	Gewicht
63	14.049.0063.00	63	63	52	53	74	78	102,8	30	0.124
75	14.049.0075.00	75	75	61	55	82	94	121,9	40	0.19
90	14.049.0090.00	90	90	67	57	82	108	134,2	40	0.162
110	14.049.0110.00	110	110	80	71	82	137	154,1	40	0.233
125	14.049.0125.00	125	125	93	91	110	155	178,5	60	0.422
140	14.049.0140.00	140	140	108	110	110	164	203,3	60	0.607
160	14.049.0160.00	160	160	116	120	110	184	219,7	60	0.561
180	14.049.0180.00	180	180	136	137	110	211	249,5	60	0.99
200	14.049.0200.00	200	200	148	145	110	238	266,5	60	1.169
225	14.049.0225.00	225	225	158	167	110	261	292	60	1.045




SmartFit PIPE CLIP 049

WITH CRAMP

MATERIAL: PP-FRP BLACK

AVAILABLE DIMENSIONS

Dimension	Code	Detail mm	da(OD) mm	z mm	d2 mm	d mm	h mm	b mm	Gewicht	Dimension
63	14.049.0063.03	63	63	52	78	53	102,8	42,5	0.079	63
75	14.049.0075.03	75	75	61	94	55	121,9	55	0.15	75
90	14.049.0090.03	90	90	67	108	57	134,2	55	0.18	90
110	14.049.0110.03	110	110	80	137	71	154,1	55	0.243	110
125	14.049.0125.03	125	125	93	155	91	178,5	75	0.455	125
140	14.049.0140.03	140	140	108	164	110	203,3	75	0.476	140
160	14.049.0160.03	160	160	116	184	120	219,7	75	0.558	160
180	14.049.0180.03	180	180	136	211	137	249,5	75	0.825	180
200	14.049.0200.03	200	200	148	238	145	266,5	75	0.935	200
225	14.049.0225.03	225	225	158	261	167	292	75	1.075	225



SmartFit Pipe Clip 049.8



WITHOUT SCREWS

2 HALVES

MATERIAL: PP-FRP BLACK

AVAILABLE DIMENSIONS

Dimension	Code	Detail width mm	da(OD) mm	L mm	h mm	d1 mm	d2 mm	b mm	h1 mm	h2 mm	L1 mm	d4 mm
250	11.049.8250.00	250x80	250	376	350	14	10	80	31	28	35	42
280	11.049.8280.00	280x80	280	407	390	14	10	80	36	29	35	43
315	11.049.8315.00	315x80	315	441	432	14	10	80	38,5	28	37	43
355	11.049.8355.00	355x80	355	489	470	16	12	80	34,5	29	37,5	42,5
400	11.049.8400.00	400x80	400	534	528	16	12	80	41,5	29	36	41,5
450	11.049.8450.00	450x80	450	585	572	16	12	80	36,5	27	37	45



SmartFit PIPE CLIP 348.8

WITHOUT SCREWS



2 HALVES

MATERIAL: PPR GREY

AVAILABLE DIMENSIONS

Dimension	Code	Detail mm	da(OD) mm	L mm	h mm	d1 mm	d2 mm	b mm	h1 mm	h2 mm	L1 mm	d4 mm
500*	11.348.4500.00	500x80	500	650	620	16	12	40	40	30	37	40
630*	11.348.4630.00	630x80	630	810	760	16	12	40	40	40	47	40

* Not in standard



PIPE SPACER SYSTEM → HEIGHT LEVELING





Base

Ø 32, 40, 50



Spacer

Ø 32 – 50



Base

Ø 63, 75, 90, 110, 140 / 160, 225



Spacer

Ø 63 – 110, 140 / 160, 225

The Plastics Experts.

